



BOC 8000 Oxygen Regulator (Part No. 11103 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
10	1650	0 - 400	0 - 16	5/8" BSP RH	3/8" BSP RH



BOC 8000 Acetylene Regulator (Part No. 11104 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
1.5	242	0 - 40	0 - 2.2	5/8" BSP LH	3/8" BSP LH



BOC 6000 Oxygen Regulator (Part No. 11761 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
6	956	0 - 400	0 - 10	5/8" BSP RH	3/8" BSP RH



BOC 6000 Acetylene Regulator (Part No. 11762 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
1.5	117	0 - 40	0 - 2.2	5/8" BSP LH	3/8" BSP LH



BOC 9500 Oxygen Regulator (Part No. 11101 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
10	1450	0 - 400	0 - 68	5/8" BSP RH	3/8" BSP RH



BOC 9500 Acetylene Regulator (Part No. 11102 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
1.5	210	0 - 40	0 - 2.2	5/8" BSP LH	3/8" BSP LH



BOC 6000 Argon Preset Regulator (Part No. 11764 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
2	40	0 - 400	Not fitted	5/8" BSP RH	3/8" BSP RH



BOC 6000 Argon Shielding Gas Regulator (Part No. 11763 - Vertical Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
1.5	45	0 - 400	0 - 55	5/8" BSP RH	3/8" BSP RH



BOC 6000 CO ₂ Preset Regulator (Part No. 11766 - Side Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
2	40	0 - 400	Not fitted	0.860" - 14TPI	5/8" - 18 UNF RH



BOC 6000 CO ₂ Shielding Gas Regulator (Part No. 11765 - Side Inlet)					
Outlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Gauge Range (Bar)	Outlet Gauge Range (Bar)	Inlet Connection	Outlet Connection
1.5	45	0 - 400	0 - 55	0.860" - 14TPI	5/8" - 18 UNF RH



BOC Flowmeters for use with BOC Preset Regulators (Part No. 11767, 11768)					
Inlet Pressure (Bar)	Maximum Flow (L/min)	Inlet Connection		Outlet Connection	
2	15	3/8" BSP RH (Nut)		3/8" BSP RH	
2	40	5/8" - 18 UNF RH (Nut)		5/8" - 18 UNF RH	

NB. BOC inert gas regulators and flowmeters meet the requirements of ISO 2503 for cylinder valve connections.
 *At 145 psi inlet and 14.5 psi outlet pressure. At no time should the withdrawal rate of an individual acetylene cylinder exceed 1/7 of the cylinder contents per hour.
 If additional flow capacity is required, use an acetylene manifold system to supply the necessary volume



MALAYSIAN OXYGEN BERHAD^(3928-D)

(Incorporated in Malaysia)

HEAD OFFICE : 13 JALAN 222, 46100 PETALING JAYA, SELANGOR, MALAYSIA
 POSTAL ADDRESS : P.O. BOX 10633, 50720 KUALA LUMPUR, MALAYSIA
 TEL NO : 03-79554233 CUSTOMER SERVICE TEL NO : 1-800-388-388
 FAX NO : 03-79566389 CUSTOMER SERVICE FAX NO : 1-800-388-288
 E-MAIL : ncsc.mox@mox.com
 WEBSITE : www.mox.com.my